



Note, internal lighting to be replaced with energy efficient LED bulbs and loft insulation to be upgraded to assist in energy efficiency

Proposed ASHP location, minimum of 1metre from boundary at all points. ASHP specification is Mitsubishi, PUZ-WM112VAA(-BS), Ecodan R32 Monobloc Air Source Heat Pump.

Sound pressure level at 1m (dBA) = 45  
Power level (dBA) = 60

Note, height of unit to be lower than boundary fences adjacent, and not visible from ground level on road or within adjacent garden

Existing path extended

Existing close-boarded fence, approx 6ft high

Existing close-boarded fence with concrete posts, approx 6ft high

**GENERAL NOTES**

To be read in conjunction with Hudson Architects drawings, specification and scope of works. To be read in conjunction with Hoare Lea MEP Engineer drawings and specification.

All products to be installed in compliance with manufacturer's installation guidelines

P01 29.05.24 Issued for planning revisions	job 34 Rightup Lane Norfolk County Council address NR18 9NB	
	<b>PROPOSED BLOCK PLAN</b>	1:200 @ A3
<b>HUDSONArchitects</b> <small>+44 (0)1603 766 220 www.hudsonarchitects.co.uk info@hudsonarchitects.co.uk</small>	<b>AL0633-HUD-XX-XX-DR-A-35003</b>	PLANNING S3 REVISION P01
		<small>Check all dimensions on site and report any discrepancies immediately. This drawing is copyright.</small>